

FISHER & PAYKEL 30" GAS RANGE

FEATURES & BENEFITS

The feature images used on this page are examples to demonstrate the product benefits and may differ slightly from the actual product.



BUILT TO LAST **DESIGN QUALITY**

Every detail has been carefully crafted. The solid, perfectly balanced soft-close door, durable cooktop grates and machined stainless dials all add up to an exceptional, premium range.



BEAUTIFUL TO USE **LARGE CAPACITY OVEN**

The large 3.5cu ft total capacity for this range gives you plenty of space to cook multiple dishes at the same time.



**PERFECT RESULTS
PERFORMANCE POWER**

Precise cooktop controls let you sear or stir fry over instant, powerful heat. Use the high burner power or simmer a delicate sauce using the gentlest of heats.



**PERFECT RESULTS
EASY CLEANING**

With its durable surface, your cooktop simply needs a quick wipe after cooking to keep it looking good as new for years to come.

SPECIFICATIONS

Height

35³/₄ - 37⁵/₈ "

Width

29⁷/₈ "

Depth

25¹/₄ "

ACCESSORIES

2-pc grill system (Broil pan and Grill rack)

Broil pan

Broil rack

Chromed shelf runners

1 set

Full extension telescopic shelves

2 sets (part 578776)

Small pot support

1 (part 533981 cast)

ACCESSORIES (SOLD SEPARATELY)

Kick strip, stainless steel (optional)	KICKOR30X1
--	------------

BURNER RATINGS

Dual wok burner inner/outer (LPG)	1000 - 18000BTU
-----------------------------------	-----------------

Dual wok burner inner/outer (natural gas)	1000 - 18000BTU
---	-----------------

Maximum burner power	18000 BTU
----------------------	-----------

Semi-rapid burner (LPG)	1500 - 7600BTU
-------------------------	----------------

Semi-rapid burner (natural gas)	1500 - 8000BTU
---------------------------------	----------------

Total cooktop power	52000 BTU
---------------------	-----------

CAPACITY

Shelf positions	7
-----------------	---

Total capacity	3.5cu ft
----------------	----------

Usable capacity	2.7cu ft
-----------------	----------

CLEANING

Acid resistant graphite enamel

Dishwasher proof grates

Removable oven door

Removable shelf runners

CONTROLS

Laser etched graphics

GAS REQUIREMENTS

Supply Pressure (LPG)	11" W.C.P
-----------------------	-----------

Supply Pressure (natural gas)	4" W.C.P
-------------------------------	----------

OVEN FEATURES

Auto re-ignition system

Concealed element

Convection

Electronic ignition

Full extension telescopic sliding shelves

Internal light	2 x 25W halogen (rear)
----------------	------------------------

Soft open/close door

Storage drawer

OVEN FUNCTIONS

Bake	
Convection bake	
Maxi Broil	
Number of functions	3

OVEN PERFORMANCE

Bake power	14000 BTU
Broil	11000 BTU
CoolTouch door	Triple glazed

POWER REQUIREMENTS

Amperage	15A
Supply frequency	60Hz
Supply voltage	120V

PRODUCT DIMENSIONS

Depth	25 1/4"
Height	35 3/4 - 37 5/8"
Width	29 7/8"

RANGETOP FEATURES

Hob rail
LPG/Natural gas compatible
Sealed range top

RANGETOP PERFORMANCE

Number of burners	4
-------------------	---

SAFETY

ADA compliant	
Advanced cooling system	
Anti-tilt bracket	
Balanced oven door	
CoolTouch door	
Full extension telescopic sliding shelves	
Non-tip shelves	
Spill containment	1/2 gallon

WARRANTY

Parts and labor	2 years
-----------------	---------