

FISHER & PAYKEL

DOUBLE DISHDRAWER DISHWASHER



FEATURES & BENEFITS

The feature images used on this page are examples to demonstrate the product benefits and may differ slightly from the actual product.



BEAUTIFUL TO USE

EASE OF USE

DishDrawer™ Dishwashers are as easy to open and close as kitchen drawers and can be conveniently positioned at bench height for ease of loading and minimal bending.



**PERFECT RESULTS
INDEPENDENT WASH**

With the ability to use both drawers independently and select different wash programs the DishDrawer™ Dishwasher can wash everything from fine glass and crystal to heavily soiled pots and pans.



**BEAUTIFUL TO USE
TRUE HALF LOAD**

Each drawer holds a true half load for guilt-free small washes and fast turnaround of your dishes. Both drawers operate independently so different wash cycles can run simultaneously to accommodate a variety of loads.



BEAUTIFUL TO USE
EASY TO LOAD

Running at a very low decibel rating, these DishDrawer™ Dishwashers do their job without making a fuss. The combination of intelligent technology and simple mechanics means greater reliability and excellent wash performance.

SPECIFICATIONS

Height	32 ⁵ / ₁₆ - 34 ⁵ / ₈ "
Width	23 ⁹ / ₁₆ "
Depth	22 ⁹ / ₁₆ "

ACCESSORIES

Cutlery basket
Kickstrip

CAPACITY AND LOADING

Accommodates round plates up to	11" (top drawer) 11" (bottom drawer)
Fixed height, foldable cupracks	
Fold down tines	
Place settings	14
Place settings per drawer	7

CONSUMPTION

Energy usage	265kWh/year
Water usage (per wash cycle)	3.44 gal running both tubs

CONTROLS

Electronic fault/Diagnostic indicator
End of cycle beeps
Energy saving delay start option of up to 12 hours
Rinse aid indicator light
Wi-Fi connectivity

FEATURES

Fan assisted drying
Flood protection
Flow through detergent dispenser
Motor type BLDC
Quiet operation

SmartDrive™ technology

PERFORMANCE

Noise on standard cycle top drawer	43dBA
------------------------------------	-------

POWER REQUIREMENTS

Amperage	10A
Electric circuit	3 wire
Rated current	15A
Supply frequency	60Hz
Supply voltage	100 - 120V

PRODUCT DIMENSIONS

Depth	22 ⁹ / ₁₆ "
Height	32 ⁵ / ₁₆ - 34 ⁵ / ₈ "
Width	23 ⁹ / ₁₆ "

SAFETY AND COMPLIANCE

ADA compliant

WARRANTY

Parts and labor	Limited 2 years
-----------------	-----------------

WASH PROGRAMS

Delicate	
Fast	
Heavy	
Medium	
Normal eco	
Rinse	
Wash programs	6

WATER CONNECTION

Supplied hose to suit 3/8" (9mm) male
compression fitting

Water pressure	30kPa - 1000 kPa
----------------	------------------

Water supply	³ / ₈ " to suit Male Compression Fitting
--------------	---